

References for Product 22810

1. Goncalves H, Mendonca C, Esteves da Silva JC. (2009) PARAFAC analysis of the quenching of EEM of fluorescence of glutathione capped CdTe quantum dots by Pb(II). *J Fluoresc*, 19, 141.
2. Hemmateenejad B, Rezaei Z, Zaeri S. (2009) Second-order calibration of excitation-emission matrix fluorescence spectra for determination of glutathione in human plasma. *Talanta*, 79, 648.
3. Maulucci G, Pani G, Labate V, Mele M, Panieri E, Papi M, Arcovito G, Galeotti T, De Spirito M. (2009) Investigation of the spatial distribution of glutathione redox-balance in live cells by using Fluorescence Ratio Imaging Microscopy. *Biosens Bioelectron*, 25, 682.
4. Wang Y, Xie Y, Bernier M, Wainer IW. (2009) Determination of free and protein-bound glutathione in HepG2 cells using capillary electrophoresis with laser-induced fluorescence detection. *J Chromatogr A*, 1216, 3533.
5. Yi L, Li H, Sun L, Liu L, Zhang C, Xi Z. (2009) A highly sensitive fluorescence probe for fast thiol-quantification assay of glutathione reductase. *Angew Chem Int Ed Engl*, 48, 4034.
6. Zhang LY, Sun MX. (2009) Fast determination of glutathione by capillary electrophoresis with fluorescence detection using beta-cyclodextrin as modifier. *J Chromatogr B Analyt Technol Biomed Life Sci*, 877, 4051.
7. Jin T, Fujii F, Komai Y, Seki J, Seiyama A, Yoshioka Y. (2008) Preparation and characterization of highly fluorescent, glutathione-coated near infrared quantum dots for in vivo fluorescence imaging. *Int J Mol Sci*, 9, 2044.
8. Pires MM, Chmielewski J. (2008) Fluorescence imaging of cellular glutathione using a latent rhodamine. *Org Lett*, 10, 837.
9. Gao N, Li L, Shi Z, Zhang X, Jin W. (2007) High-throughput determination of glutathione and reactive oxygen species in single cells based on fluorescence images in a microchannel. *Electrophoresis*, 28, 3966.
10. Jiang C, Xu S, Yang D, Zhang F, Wang W. (2007) Synthesis of glutathione-capped CdS quantum dots and preliminary studies on protein detection and cell fluorescence image. *Luminescence*, 22, 430.
11. Lavigne V, Pons A, Dubourdieu D. (2007) Assay of glutathione in must and wines using capillary electrophoresis and laser-induced fluorescence detection. Changes in concentration in dry white wines during alcoholic fermentation and aging. *J Chromatogr A*, 1139, 130.
12. Musenga A, Mandrioli R, Bonifazi P, Kenndler E, Pompei A, Raggi MA. (2007) Sensitive and selective determination of glutathione in probiotic bacteria by capillary electrophoresis-laser induced fluorescence. *Anal Bioanal Chem*, 387, 917.
13. Sakhi AK, Blomhoff R, Gundersen TE. (2007) Simultaneous and trace determination of reduced and oxidized glutathione in minute plasma samples using dual mode fluorescence detection and column switching high performance liquid chromatography. *J Chromatogr A*, 1142, 178.
14. Zhang X, Cheng X, Wang C, Xue Z, Yang L, Xi Z. (2007) Studies on interactions between plant secondary metabolites and glutathione transferase using fluorescence quenching method. *Indian J Biochem Biophys*, 44, 101.
15. Lewicki K, Marchand S, Matoub L, Lulek J, Coulon J, Leroy P. (2006) Development of a fluorescence-based microtiter plate method for the measurement of glutathione in yeast. *Talanta*, 70, 876.
16. Sakhi AK, Russnes KM, Smeland S, Blomhoff R, Gundersen TE. (2006) Simultaneous quantification of reduced and oxidized glutathione in plasma using a two-dimensional chromatographic system with parallel porous graphitized carbon columns coupled with fluorescence and coulometric electrochemical detection. *J Chromatogr A*, 1104, 179.
17. Bramanti E, Vecoli C, Neglia D, Pellegrini MP, Raspi G, Barsacchi R. (2005) Speciation and quantification of thiols by reversed-phase chromatography coupled with on-line

- chemical vapor generation and atomic fluorescence spectrometric detection: method validation and preliminary application for glutathione measurements in human whole blood. *Clin Chem*, 51, 1007.
18. Zhang J, Hu Z, Chen X. (2005) Quantification of glutathione and glutathione disulfide in human plasma and tobacco leaves by capillary electrophoresis with laser-induced fluorescence detection. *Talanta*, 65, 986.
 19. Bartak M, Hajek J, Vrablokova H, Dubova J. (2004) High-light stress and photoprotection in *Umbilicaria antarctica* monitored by chlorophyll fluorescence imaging and changes in zeaxanthin and glutathione. *Plant Biol (Stuttg)*, 6, 333.
 20. van den Berg PA, van Hoek A, Visser AJ. (2004) Evidence for a novel mechanism of time-resolved flavin fluorescence depolarization in glutathione reductase. *Biophys J*, 87, 2577.
 21. Cereser C, Guichard J, Drai J, Bannier E, Garcia I, Boget S, Parvaz P, Revol A. (2001) Quantitation of reduced and total glutathione at the femtomole level by high-performance liquid chromatography with fluorescence detection: application to red blood cells and cultured fibroblasts. *J Chromatogr B Biomed Sci Appl*, 752, 123.
 22. Muller M, Voss M, Heise C, Schulz T, Bunger J, Hallier E. (2001) High-performance liquid chromatography/fluorescence detection of S-methylglutathione formed by glutathione-S-transferase T1 in vitro. *Arch Toxicol*, 74, 760.
 23. Toyo'oka T, Tanabe J, Jinno H. (2001) Determination of rat hepatocellular glutathione by reversed-phase liquid chromatography with fluorescence detection and cytotoxicity evaluation of environmental pollutants based on the concentration change. *Biomed Chromatogr*, 15, 240.
 24. Wang H, Wang WS, Zhang HS. (2001) A spectrofluorimetric method for cysteine and glutathione using the fluorescence system of Zn(II)-8-hydroxyquinoline-5-sulphonic acid complex. *Spectrochim Acta A Mol Biomol Spectrosc*, 57, 2403.
 25. Senft AP, Dalton TP, Shertzer HG. (2000) Determining glutathione and glutathione disulfide using the fluorescence probe o-phthalaldehyde. *Anal Biochem*, 280, 80.
 26. Parmentier C, Wellman M, Nicolas A, Siest G, Leroy P. (1999) Simultaneous measurement of reactive oxygen species and reduced glutathione using capillary electrophoresis and laser-induced fluorescence detection in cultured cell lines. *Electrophoresis*, 20, 2938.
 27. Sluis-Cremer N, Wallace L, Burke J, Stevens J, Dirr H. (1998) Aflatoxin B1 and sulphobromophthalein binding to the dimeric human glutathione S-transferase A1-1: a fluorescence spectroscopic analysis. *Eur J Biochem*, 257, 434.
 28. Stella L, Caccuri AM, Rosato N, Nicotra M, Lo Bello M, De Matteis F, Mazzetti AP, Federici G, Ricci G. (1998) Flexibility of helix 2 in the human glutathione transferase P1-1. time-resolved fluorescence spectroscopy. *J Biol Chem*, 273, 23267.
 29. van den Berg PA, van Hoek A, Walentas CD, Perham RN, Visser AJ. (1998) Flavin fluorescence dynamics and photoinduced electron transfer in *Escherichia coli* glutathione reductase. *Biophys J*, 74, 2046.
 30. Baylor KJ, Shine CM, Heffron JJ, McIntosh J. (1997) Isocyanate binding to yeast glutathione reductase measured by fluorescence spectroscopy. *Biochem Soc Trans*, 25, 47S.
 31. Bellomo G, Palladini G, Vairetti M. (1997) Intranuclear distribution, function and fate of glutathione and glutathione-S-conjugate in living rat hepatocytes studied by fluorescence microscopy. *Microsc Res Tech*, 36, 243.
 32. Lada MW, Kennedy RT. (1997) In vivo monitoring of glutathione and cysteine in rat caudate nucleus using microdialysis on-line with capillary zone electrophoresis-laser induced fluorescence detection. *J Neurosci Methods*, 72, 153.
 33. Asayama K, Dobashi K, Kawada Y, Nakane T, Kawaoi A, Nakazawa S. (1996) Immunohistochemical localization and quantitative analysis of cellular glutathione peroxidase in foetal and neonatal rat tissues: fluorescence microscopy image analysis. *Histochem J*, 28, 63.
 34. Dietze EC, Wang RW, Lu AY, Atkins WM. (1996) Ligand effects on the fluorescence properties of tyrosine-9 in alpha 1-1 glutathione S-transferase. *Biochemistry*, 35, 6745.

35. Norman HA, Pillai P. (1996) High-performance liquid chromatographic resolution of NADP⁺ after induction of fluorescence and its application to assay for an NADPH-dependent enzyme: application to the determination of glutathione reductase activity in plant leaf extracts. *Anal Biochem*, 237, 30.
36. Sluis-Cremer N, Naidoo NN, Kaplan WH, Manoharan TH, Fahl WE, Dirr HW. (1996) Determination of a binding site for a non-substrate ligand in mammalian cytosolic glutathione S-transferases by means of fluorescence-resonance energy transfer. *Eur J Biochem*, 241, 484.
37. Orwar O, Fishman HA, Ziv NE, Scheller RH, Zare RN. (1995) Use of 2,3-naphthalenedicarboxaldehyde derivatization for single-cell analysis of glutathione by capillary electrophoresis and histochemical localization by fluorescence microscopy. *Anal Chem*, 67, 4261.
38. Gotti R, Andrisano V, Gatti R, Cavrini V, Candeletti S. (1994) Determination of glutathione in biological samples by high performance liquid chromatography with fluorescence detection. *Biomed Chromatogr*, 8, 306.
39. Yang CS, Chou ST, Lin NN, Liu L, Tsai PJ, Kuo JS, Lai JS. (1994) Determination of extracellular glutathione in rat brain by microdialysis and high-performance liquid chromatography with fluorescence detection. *J Chromatogr B Biomed Appl*, 661, 231.
40. Wang RW, Bird AW, Newton DJ, Lu AY, Atkins WM. (1993) Fluorescence characterization of Trp 21 in rat glutathione S-transferase 1-1: microconformational changes induced by S-hexyl glutathione. *Protein Sci*, 2, 2085.
41. Bastiaens PI, van Hoek A, Wolkers WF, Brochon JC, Visser AJ. (1992) Comparison of the dynamical structures of lipoamide dehydrogenase and glutathione reductase by time-resolved polarized flavin fluorescence. *Biochemistry*, 31, 7050.
42. Ling BL, Baeyens WR, Dewaele C, Del Castillo B. (1992) Packed capillary liquid chromatography coupled to fluorescence detection: application to human blood samples for the determination of glutathione. *J Pharm Biomed Anal*, 10, 985.
43. Noguchi K, Higuchi S. (1992) Determination of glutathione isopropyl ester in rat, dog and human blood by high-performance liquid chromatography with fluorescence detection. *J Pharm Biomed Anal*, 10, 515.
44. Caccuri AM, Aceto A, Rosato N, Di Ilio C, Piemonte F, Federici G. (1991) Intrinsic fluorescence quenching of glutathione transferase pi by glutathione binding. *Ital J Biochem*, 40, 304.
45. Saito N, Yamanaka H, Nagasawa S. (1991) A novel HPLC method for glutathione-insulin transhydrogenase assay using fluorescence labeled insulin. *J Vet Med Sci*, 53, 1.
46. de Kok A, Visser AJ. (1987) Flavin binding site differences between lipoamide dehydrogenase and glutathione reductase as revealed by static and time-resolved flavin fluorescence. *FEBS Lett*, 218, 135.
47. Burton NK, Aherne GW. (1986) Sensitive measurement of glutathione using isocratic high-performance liquid chromatography with fluorescence detection. *J Chromatogr*, 382, 253.
48. Sellin S, Eriksson LE, Mannervik B. (1982) Fluorescence and nuclear relaxation enhancement studies of the binding of glutathione derivatives to manganese-reconstituted glyoxalase I from human erythrocytes. A model for the catalytic mechanism of the enzyme involving a hydrated metal ion. *Biochemistry*, 21, 4850.
49. Hadley WM, Bousquet WF, Miya TS. (1974) Modified fluorescence assay for oxidized and reduced glutathione in tissue. *J Pharm Sci*, 63, 57.